AUTHOR INDEX TO VOLUME 27

References with (A) are merely to abstracts of ppers presented at meetings of the Physical Society.

Albers, V. M. Investigation of photo-electric valve coated with potassium—**27,** 113(A)

Alexeievsky, A. P. A new theory of ionic mobilities —**27,** 811(A)

Allen, S. J. M. Absorption of x-rays of wave-length down to .08A—**27,** 266

Angell, M. F. Thermal conductivity of metals at high temperatures—**27,** 820(A)

Astin, Allen. Wave form of free electrical oscillations: self-capacity effect in multi-layer coils—**27,** 815(A)

Badger, Richard M. (see Tolman, Richard C.)—**27,** 383

Balderston, Mark. Origin of K-radiation from target of an x-ray tube—**27,** 696

Barnes, Howard T. Effect of a high temperature in disrupting ice—**27,** 821(A)

Barnett, S. J. J. W. Fisher's experiments and the possibility of magnetization by rotary fields—**27,** 115(A)

Barton, Henry A., Gaylord P. Harnwell, and **C. H. Kunsman.** Analysis of positive ions emitted by a new source—**27,** 514(A), 739

Bateman, H. Radiation of energy and angular momentum—**27,** 606

Baudisch, Oskar (see Welo, Lars A.)—**27,** 511(A)

Beams, J. W. Time interval between appearance of certain spectrum lines in visible region—**27,** 244(A)

———Effect of changing conditions of excitation upon time of appearance of certain spark lines of Cd and Zn—**27,**805(A)

———(see Hoxton, L. G.)—**27,** 245(A)

Bearden, J. A. Intensity of x-ray reflection from solid and powdered sodium chloride—**27,** 796(A)

Becker, Joseph A. Thermionic and evaporation characteristics of adsorbed films of Cs on W—**27,** 112(A)

———Adsorption of caesium on tungsten and oxidized tungsten—**27,** 811(A)

Bidwell, Charles C. Crystalline and amorphous states in alkali metals—**27,** 381

———Thermal conductivity of Li, Na, and Pb to −250°C—**27,** 819(A)

Bieler, E. S. Hall effect in sodium and potassium—**27,** 517(A)

Birge, Raymond T. Law of force and size of diatomic molecules, as determined from their band spectra—**27,** 107(A)

———Quantum analysis of the rotational energy of certain molecules—**27,** 245(A)

———Structure of molecules—**27,** 255(A)

———Energy levels of the carbon monoxide molecule—**27,** 255(A)

———Heat of dissociation of O_2 and O_2^+—**27,** 641(A)

———(see Pomeroy, W. C.)—**27,** 107(A)

———(see Shea, J. D.)—**27,** 245(A)

———and **Hertha Sponer.** Heat of dissociation of non-polar molecules, as determined from band spectra, and from other sources—**27,** 640(A)

———Heat of dissociation of CO, CO^+, and NO—**27,** 641(A)

Bishop, J. B. Polarization of characteristic x-rays—**27,** 797(A)

———(see Richtmyer, F. K.)—**27,** 794(A)

Blake, F. C. and **A. E. Focke.** Nickel-chromium solid solutions—**27,** 798(A)

Bose, D. M. Irregularity of $K\alpha$ doublets in elements of lower atomic numbers—**27,** 521

Bourgin, D. G. and **E. C. Kemble.** Intensities of lines in HCl absorption band at 3.5μ—**27,** 802(A)

Bowen, I. S. Ratio of heat losses by conduction and by evaporation from any water surface—**27,** 820(A) 779

———(see Millikan, R. A.)—**27,** 353

———and **R. A. Millikan.** Stripped oxygen—**27,** 106(A)

———Stripped oxygen, O_{VI}, the pp' group in O_V, and new aluminum lines in extreme ultraviolet—**27,** 144

Boyd, R. A. (see Jauncey, G. E. M.)—**27,** 105(A)

———(see Jauncey, G. E. M.)—**27,** 795(A)

Boyle, R. W. and **J. F. Lehmann.** Relation between thickness of a partition in a medium and its reflection of sound waves by ultrasonic method—**27,** 518(A)

———and **G. B. Taylor.** Cavitation in the track of an ultrasonic beam—**27,** 518(A)

Bramley, A. (see McCurdy, W. H.)—**27,** 314

Brasefield, C. J. (see Smyth, H. D.)—**27,** 514(A)
Breit, G. A correspondence theorem for the Compton effect—**27,** 242(A), 362
———Diffraction by a grating—**27,** 508(A)
Bridgman, P. W. Five alkali metals under high pressure—**27,** 68
———Universal constant of thermionic emission—**27,** 173
Briggs, L. J. and **H. L. Dryden.** Pressure distribution over airfoils at high speeds—**27,** 820(A)
Brombacher, W. G. Compensation of altimeters and altigraphs for air temperature—**27,** 821(A)
Brown, S. Leroy and **M. Y. Colby.** Application of a vacuum tube multimeter to electrical measurements at radio frequencies—**27,** 250(A)
Broxon, James W. Natural ionization in gases—**27,** 542
Burt, Robert C. Sodium voltameter—**27,** 813(A)

Callis, Charles D. Measurement of series resistance of a condenser at radio frequency—**27,** 113(A)
Carragan, G. Howard. Zeeman effect for spectrum of fluorine—**27,** 106(A)
Cave, H. M. and **J. A. Gray.** Scattering and absorption of gamma-rays of radium—**27,** 103(A)
Chalk, M. Laura (see Foster, J. Stuart)—**27,** 512(A)
Chenault, R. L. (see Mohler, F. L.)—**27,** 37
Cioffi, P. P. (see McKeehan, L. W.)—**27,** 817
Colby, M. Y. (see Brown, S. Leroy)—**27,** 250(A)
Cole, Kenneth. On threshold sensitivity of photographic emulsions to low speed electrons—**27,** 809(A)
Collins, E. H. Experimental test of Raman and Ramanathan theory of diffraction of x-rays by liquids—**27,** 242(A)
Colwell, R. C. Reception currents from a loop antenna—**27,** 816(A)
———Faraday tubes and Ampere's rule—**27,** 812(A)
Compton, Arthur H. Electron distribution in sodium chloride—**27,** 510(A)
———(see Doan, R. L.)—**27,** 104(A)
Compton, K. T. Departures from Ohm's law and theories of metallic conduction—**27,** 249(A)
———and **C. C. Van Voorhis.** Probability of ionization of gas molecules by electron impacts, II: Critique—**27,** 516(A), 724
Condon, Edward. Theory of intensity distribution in band systems—**27,** 640(A)
———Remarks on penetrating radiation—**27,** 644 (A).
Constantinides, Philip A. Conductivity of activated nitrogen—**27,** 249(A)
Cooke, T. G. (see Phipps, T. E.)—**27,** 113(A)
Cork, J. M. (see Stephenson, B. R.)—**27,** 138
——— and **B. R. Stephenson.** K series emission spectra for elements from atomic number 50 (Sn) to atomic number 83 (Bi)—**27,** 103(A)
———"K" emission spectra for elements Sn (50) to Hf (72)—**27,** 530
Craig, Palmer H. Hall effect with low magnetic fields—**27,** 772
———A new phenomenon dealing with the action of electrostatic fields upon electric currents—**27,** 814(A)
Cravath, A. M. (see Loeb, Leonard B.)—**27,** 811(A)
———and **L. T. Jones.** Rate of neutralization of the field in the Braun tube with external electrodes —**27,** 641(A)
Crew, W. H. A new effect in the photo-electric emission from oxide-coated filaments—**27,** 810 (A)
———and **E. O. Hulburt.** On the continuous spectrum of hydrogen—**27,** 800(A)
Crofutt, C. B. Photometric measurements of L absorption limits of W—**27,** 243(A), 538
Cross, C. L. Coloring of glass in ultra-violet light—**27,** 108(A)
Crow, Marguerite. A precision determination of the electrical conductivity of concentrated aqueous solutions of calcium chloride—**27,** 516(A)
Curtis, H. L. (see Moon C.)—**27,** 818(A)
———and **C. Moon.** Ballistic galvanometer as an integrating instrument—**27,** 816(A)
Curtiss, L. F. Natural beta-ray spectrum of RaD—**27,** 257
———Note on the decay of Rae—**27,** 672

Dahm, Thomas M. "True half breadth" of absorption lines—**27,** 246(A)
Dalton, P. (see McCurdy, W. H.)—**27,** 163
Dana, Leo I. Thermal properties of butane, isobutane, propane, and ethane—**27,** 819(A)
Davey, Wheeler P. Crystal structure of zirconium oxide—**27,** 798(A)
———Expansion of crystals from absolute zero to the melting point—**27,** 819(A)
———(see Wilson, Thomas A.)—**27,** 819(A)
———and **T. A. Wilson.** Lattice parameters and densities of Cu, Ag and W—**27,** 105(A)
Davis, Bergen, and **C. M. Slack.** Measurement of refraction of x-rays in a prism—**27,** 18
———Refraction of x-rays in prisms—**27,** 796(A)

DeFoe, O. K. Experimental values of ratio of modified to total scattering of x-rays—**27,** 242(A), 675
———and **G. E. M. Jauncey.** Separation of modified and unmodified scattering coefficients of x-rays—**27,** 102(A)
Dellinger, J. H., C. B. Jolliffe, and **T. Parkinson.** Cooperative investigation of radio fading—**27,** 816(A)
Del Rosario, C. Velocity distribution among thermionic electrons in vacuum and in hydrogen atmosphere—**27,** 810(A)
Delsasso, L. P. Performance of the graphic acoustic sounder during the Australian cruise of the U. S. fleet—**27,** 643(A)
Dempster, A. J. Light quanta and interference—**27,** 804(A)
———Passage of protons and charged hydrogen molecules through gases—**27,** 108(A)
———Passage of charged particles through helium —**27,** 514(A)
Dieke, G. H. On specific heat of hydrogen—**27,** 639(A)
———(see Hopfield, J. J.)—**27,** 638(A)
Doan, Richard L. Refraction of x-rays by method of total reflection—**27,** 796(A)
———and **A. H. Compton.** Diffraction of x-rays by a ruled metallic grating—**27,** 104(A)
Dodge, Homer L. An electrical frequency meter of wide range—**27,** 252(A)
Dryden, H. L. (see Briggs, L. J.)—**27,** 820
Duffendack, O. S. and **W. S. Kimball.** Distribution of potential in low voltage arcs—**27,** 109(A)
———(see Fruth, H. F.)—**27,** 248(A)
Dufford, R. T., Dorothy Nightingale, and **L. W. Gaddum.** Luminescence of Grignard compounds in magnetics and electric fields—**27,** 247(A)

Edwards, R. L. Effect of deposition-temperature on the magnetic properties of evaporated nickel films—**27,** 252(A)
Eldridge, John A. Electricity and Newton's third law of motion—**27,** 114(A)
———Practical importance of relativity—**27,** 117 (A)
———Simple demonstration of the constancy of mass—**27,** 254(A)
Ellett, A., Paul D. Foote, and **F. L. Mohler.** Polarization of radiation excited by electron impact—**27,** 31
Ellis, Joseph W. Band series in infra-red absorption spectra of organic compounds—**27,** 245(A), 298
———Series due to halogens in infra-red absorption spectra of organic compounds—**27,** 639(A)
Ellsworth, Vivian M. and **J. J. Hopfield.** New oxygen bands between λ2000-2300—**27,** 639(A)
Emmons, W. F. Thomas Young's eriometer—**27,** 517(A)
Estey, Roger S. (see Sheldon, H. Horton)—**27,** 515(A)
Eve, A. S. Ionization potential and radius of the atom—**27,** 515(A)
———Relativity and radiation—**27,** 517(A)
Eyring, Carl F. (see Millikan, R. A.)—**27,** 51

Farnham, F. C. Effect of small amounts of silicon on thermo-magnetic change point "A2" in mild steel—**27,** 817(A)
Farnsworth, H. E. Secondary electrons from iron—**27,** 243(A), 413
Focke, A. E. (see Blake, F. C.)—**27,** 798(A)
Foote, Paul D. (see Ellett, A.)—**27,** 31
———(see Mohler, F. L.)—**27,** 37
Foster, J. Stuart and **M. Laura Chalk.** Method of measuring relative intensities of Stark-effect components—**27,** 512(A)
———**H. B. Hachey** and **W. Rowles.** Stark patterns —**27,** 512(A)
Frayne, John G. and **Alpheus W. Smith.** Absorption spectra of Al, Ga, In and Tl vapors in ultra-violet—**27,** 23, 246(A)
Free, E. E. Measurements of street noise in New York City—**27,** 518(A)
Fröhlich, Paul. On the polarization of fluorescent light from colloid solutions—**27,** 803(A)
Fruth, H. F. and **O. S. Duffendack.** Low voltage arcs in iodine—**27,** 248(A)

Gaddum, L. W. (see Dufford, R. T.)—**27,** 247(A)
Gibbs, R. C. Extreme ultra-violet spectrum of titanium—**27,** 799(A)
Gilchrist, Lachlan. Investigation of x-ray spectra by method of visibility—**27,** 508(A)
———Visibility phenomena with interference by multiple reflections—**27,** 596
Glockler, George. Resonance potentials of He and double impacts by electrons in He—**27,** 423
Gray, J. A. Scattering of x-rays—**27,** 509(A)
———(see Cave, H. M.)—**27,** 103(A)
Grondahl, L. O. New type of contact rectifier—**27,** 813(A)
Gronwall, T. H. Reflection of radiation from equally spaced parallel planes—**27,** 277

Hachey, H. B. (see Foster, J. Stuart)—**27,** 512(A)
Hales, Wayne B. Long wave-length limit of Hg—**27,** 809(A)

Ham, W. R. and **Marsh W. White.** "Reflection" of electrons from anode of a Coolidge x-ray tube—**27,** 111(A)

———"Reflection" of electrons from the molybdenum target of a Coolidge x-ray tube—**27,** 510(A)

Harkins, William D. and **S. B. Stone.** Isotopic composition and atomic weight of terrestrial and meteoric chlorine—**27,** 117(A)

Harnwell, Gaylord P. (see Barton, Henry A.)—**27,** 514(A) 739

Harrington, E. L. Relative importance of the Bernouilli principle and of viscosity in aspirator action—**27,** 253(A)

Havighurst, R. J. Intensity of reflection of x-rays by powdered sodium chloride—**27,** 243(A)

Hazen, Grace (see Jolliffe, C. B.)—**27,**815 (A)

Heaps, C. W. Thermo-electric power and Hall coefficient—**27,** 252(A)

———Emissivity of bismuth in a magnetic field—**27,** 764

Hertel, K. L. Effect of an electric field on radiation from hydrogen atoms—**27,** 804(A)

Hewlett, C. W. Geiger counting chambers—**27,** 111(A)

Hidnert, Peter. (see Souder, Wilmer T.)—**27,** 253(A)

———and **W. T. Sweeney.** Thermal expansion of W—**27,** 519(A)

Hogness, T. R. and **E. G. Lunn.** Ionization of oxygen as interpreted by positive ray analysis—**27,** 642(A), 732

Home, M. S. (see Keys, David A.)—**27,** 248(A), 709

Hooper, W. J. Critical ionization potentials by positive ion impact in hydrogen—**27,** 109(A)

Hopfield, J. J. Nitrogen series in the ultra-violet—**27,** 801(A)

———(see Ellsworth, Vivian M.)—**27,** 639(A)

———(see Sponer, H.)—**27,** 640(A)

———and **G. H. Dieke,** PP′ groups in the elements S(I) to K(IV)—**27,** 638(A)

Houston, William V. Fine structure of Balmer lines—**27,** 244(A)

Howes, H. L. (see Nichols, E. L.)—**27,** 803(A)

Hoxton, L. G. and **J. W. Beams.** Time interval between excitation and emission for fluorescein—**27,** 245(A)

Hoyt, Frank C. Transition probabilities and principal quantum numbers—**27,** 105(A)

———Intensities in spectra and new quantum mechanics—**27,** 805(A)

Hufford, Mason E. On the discharge of electricity between equipotential plates—**27,** 110(A)

Hughes, A. L. (see Jauncey, G. E. M.)—**27,** 509(A)

———and **G. E. M. Jauncey.** Radiation from mutual annihilation of protons and electrons—**27,** 509(A)

Huggins, Maurice L. Evidence from crystal structures in regard to atomic structures—**27,** 286

———Crystal structures of anatase and rutile, tetragonal forms of TiO_2—**27,** 638(A)

———Crystal structure of $[N(CH_3)_4]_2PtCl_6$—**27,** 638(A)

Hulburt, E. O. Piezoelectric quartz oscillators coated with metallic films—**27,** 814(A)

———Experiments on cathode sputtering—**27,** 805 (A)

———(see Crew, W. H.)—**27,** 800(A)

———(see Taylor, A. Hoyt)—**27,** 189

Hull, Albert W. Measurements of high frequency amplification with shielded-grid pliotrons—**27,** 113(A), 439

———and **N. H. Williams.** Shot-effect of electrons produced by impact ionization—**27,** (111)A

———Characteristics of shielded-grid pliotrons—**27,** 432

Jack, R. A. and **L. T. Jones.** Phase and magnitude of deflections of Braun tube beam with internal and external electrodes—**27,** 642(A)

Jackson, Wilfrid J. Secondary emissions from metals due to bombardment by high speed positive ions—**27,** 809(A)

Jarvis, C. W. Resonance potentials in Ga and In vapors—**27,** 248(A)

———Resonance and ionization potentials in mercury vapor—**27,** 808(A)

Jauncey, G. E. M. Theory of intensity of scattered x-rays—**27,** 103(A)

———Doppler principle and quantum hypothesis—**27,** 637(A)

———Note on quantum theory of unmodified line in Compton effect—**27,** 687

———(see DeFoe, O. K.)—**27,** 102(A)

———(see Hughes, A. L.)—**27,** 509(A)

———and **A. L. Hughes.** Radiation arising from the formation of helium from hydrogen—**27,** 509(A)

———and **R. A. Boyd.** Conditions for disappearance of unmodified line in Compton effect—**27,** 795(A)

———and **W. W. Nipper.** Disappearance of unmodified line in Compton effect—**27,** 103(A)

Johnson, E. H. P, Q, R combinations in the sodium hydride many-lined molecular spectrum—**27,** 801 (A)
Johnson, Thomas H. Production and measurement of a beam of neutral molecules—**27,** 519(A)
Jolliffe, C. B. (see Dellinger, J. H.)—**27,** 816(A)
———and **Grace Hazen.** Establishment of radio standards of frequency by use of a harmonic amplifier—**27,** 815(A)
Jones, A. T. Rotation of pulley in Melde's experiment—**27,** 622
Jones, H. A. (see Langmuir, Irving)—**27,** 806(A)
Jones, L. T. (see Cravath, A. M.)—**27,** 641(A)
———(see Jack, R. A.)—**27,** 642(A)

Kemble, E. C. Quantum theory of Zeeman effect for band lines—**27,** 799(A)
———(see Bourgin, D. G.)—**27,** 802(A)
———and **E. E. Witmer.** Analysis of Wood's iodine resonance spectrum—**27,** 803(A)
Kennard, E. H. Fluorescent exciting power and black-body radiation—**27,** 818(A)
———and **S. C. Wang.** Forces on a rigid magnetized conductor—**27,** 460
Kent, C. V. Resistivity of liquid alloys—**27,** 250(A)
Kenworthy, R. L. Emission of positive ions from hot tungsten filaments—**27,** 112(A)
Keulegan, G. H. Hysteresis due to Ewing effect in flexure of bars—**27,** 818(A)
Keys, David A. and **M. S. Home.** Spectroscopic examination of striated discharge in mixed gases—**27,** 248(A), 709
Killian, Thomas J. Thermionic phenomena caused by vapors of Rb and Kα—**27,** 578
Kimball, A. L., Jr. Torque on revolving cylindrical magnet—**27,** 115(A)
Kimball, W. S. (see Duffendack, O. S.)—**27,** 109(A)
King, Louis V. Electro-magnetic equations of light propagation in molecular media of varying density—**27,** 518(A)
———Gyromagnetic electrons and a classical theory of atomic structure and radiation—**27,** 804(A)
Kistiakowsky, George. Ionization potentials of hydrogen and nitrogen on an iron catalyst—**27,** 808(A)
Knudsen, Vern O. Measurement of reverberation with thermionic tube oscillator—**27,** 643(A)
Kronig, R. de L. Theory of x-ray dispersion—**27,** 797(A)
Kunsman, C. H. Positive ion emission from mixture containing Fe, Al and Cs, and work function ϕ_+ for Cs from this mixture—**27,** 249(A)
———(see Barton, Henry A.)—**27,** 739
Kunz, Jakob. Zeeman effect, Stern-Gerlach experiment and magneton—**27,** 817(A)

Laird, Elizabeth R. Reflection of soft x-rays—**27,** 510(A)
Lang, R. J. (see Smith, Stanley)—**27,** 512(A)
———and **Stanley Smith.** Greater dispersion in extreme ultra-violet—**27,** 108(A)
Langmuir, Irving (see Tonks, L.)—**27,** 514(A)
———and **H. A. Jones.** Collisions between electrons and gas molecules—**27,** 806(A)
Lansing, W. D. (see Phipps, T. E.)—**27,** 113(A)
Laporte, Otto. Interpretation of complex spectra—**27,** 512(A)
Lawrence, Ernest O. Role of Faraday cylinder in measurement of velocities of electrons emerging from small apertures—**27,** 112(A)
———Method of high precision for determination of critical potentials and ionization potential of mercury vapor—**27,** 515(A)
———Transition probabilities: Their relation to thermionic emission and photo-electric effect—**27,** 555
———Direct determination of ratio of Planck's universal constant to charge on electron—**27,** 809(A)
Lehmann, J. F. (see Boyle, R. W.)—**27,** 518(A)
Lifshitz, Samuel. Mean intensity of sound in an auditorium and optimum reverberation—**27,** 618
Lindsay, Geo. A. and **Geo. D. Van Dyke.** Fine structure of K x-ray absorption edge of calcium—**27,** 508(A)
Lindsay, R. B. Carbon atom model and structure of diamond—**27,** 798(A)
Little, Edward M. Dielectric constant of an electrolyte—**27,** 814(A)
Loeb, Leonard B. Mobilities of gas ions in HCl—**27,** 642(A)
———and **A. M. Cravath.** Molecular structure and relative mobilities of positive and negative gaseous ions—**27,** 811(A)
Loomis, F. W. Fluorescent and absorption spectra of iodine—**27,** 802(A)
Lunn, E. G. (see Hogness, T. R.)—**27,** 642(A), 732

MacInnes, D. A. and **Theodore Shedlovsky.** Relative intensities of reflection of x-rays from principal atomic planes of fluorite—**27,** 130
McCurdy, W. H. Space charge currents between coaxial cylinders in presence of a gas—**27,** 157
———and **A. Bramley.** Changes in refractive index of He produced by a glow discharge—**27,** 314

McCurdy, W. H. and **P. Dalton.** Low voltage discharges in He—**27,** 163
McDonald, Frank C. Spectroscopic investigation of acetylene, methane and ethylene—**27,** 246(A)
McKeehan, L. W. and **P. P. Cioffi.** Magnetostriction in permalloy—**27,** 817(A)
McMaster, A. J. Optical and electric study of striated discharge in alkali vapors—**27,** 109(A)
Maibauer, A. E. and **T. Smith Taylor.** Variation of resistance of condensers with dial setting at radio frequencies—**27,** 251(A)
Marcus, Alexander. Experiments with standing electromagnetic waves produced by means of a short wave electron tube oscillator—**27,** 250(A)
Merritt, Ernest. Form of absorption bands in solutions of organic dyes, and relation between absorption and fluorescence—**27,** 804(A)
Merrymon, W. W. Variation with pressure of residual ionization in gases—**27,** 659
Mertz, Pierre. Measurement of x-ray scattering coefficient—**27,** 795(A)
Messenger, Helen A. and **Harold W. Webb.** Measurement of increase of metastable atoms in mercury with accelerating voltage—**27,** 807(A)
Meyer, Alfred W. Optical constants of molybdenite in the ultra-violet—**27,** 247(A)
Meyers, C. H. (see Olson, A. R.)—**27,** 807(A)
Miller, Dayton C. Ether-drift experiments at Mount Wilson in February, 1926—**27,** 812(A)
Millikan, R. A. (see Bowen, I. S.)—**27,** 106(A), 144
———and **Bowen, I. S.** High frequency rays of cosmic origin, I: Sounding balloon observations at extreme altitudes—**27,** 353
———and **Carl F. Eyring.** Pulling electrons out of metals by intense electric fields; Laws governing—**27,** 51
———and **R. M. Otis.** High frequency rays of cosmic origin, II: mountain peak and airplane observations—**27,** 645
Mohler, F. L. Photo-ionization of a gas by a discharge in same gas—**27,** 515(A)
———(see Ellett, A.)—**27,** 31
———, **Paul D. Foote** and **R. L. Chenault.** Photo-ionization and relative absorption probabilities in Cs vapor—**27,** 37
Monk, George S. Effect of type of source on the primary standard of wave-length—**27,** 107(A)
Moon, C. (see Curtis, H. L.)—**27,** 816(A)
———and **H. L. Curtis.** Effect of amplitude on frequency of a tuning fork—**27,** 818(A)
Morehouse, W. B. Effect of chemical combination on absorption of x-rays—**27,** 794(A)
Morrow, Roger M. (see Stewart, G. W.)—**27,** 104(A)
Mortimore, Roy H. An oscillographic study of atmospherics—**27,** 255(A)
Mott-Smith, H. M., Jr. (see Tonks, L.)—**27,** 514(A)
Mulliken, Robert S. Electronic states of molecules and structure at band spectra—**27,** 513(A)

Neuman, L. J. Variations in Hall effect and thermoelectric power due to changes in crystallinity—**27,** 643(A)
Nichols, E. L. and **H. L. Howes.** Transformation spectra and principle of essential identity—**27,** 803(A)
Nielsen, Walter M. Formation of negative ions in mercury vapor—**27,** 807(A) 716
Nightingale, Dorothy (see Dufford, R. T.)—**27,** 247(A)
Nipper, W. W. (see Jauncey, G. E. M.)—**27,** 103(A)
Nottingham, W. B. Normal arc characteristic curves depend on absolute temperature of anode—**27,** 806(A)
Null, F. E. Linear amplication of galvanometer deflection by the photo-electric cell—**27,** 114(A)

O'Brien, Brian. Dispersion of optical constants of mercury—**27,** 93
———Contact electromotive force of carbon—**27,** 813(A)
Olson, A. R. and **C. H. Meyers.** Hydrogenation of ethylene by excited mercury atoms—**27,** 807(A)
O'Day, Marcus. Errors in measurement of Thomson effect and an anomalous effect in Bi—**27,** 643(A)
Olson, H. F. Action of acoustic wave-filters in solids—**27,** 116(A)
Otis, R. M. (see Millikan, R. A.)—**27,** 645

Page, Leigh (see Zeleny, John)—**27,** 470
Parkinson, T. (see Dellinger, J. H.)—**27,** 816(A)
Parsons, S. R. Heat transfer in annular space between two coaxial cylinders—**27,** 519(A), 788
Paton, R. F. and **W. H. Sanders.** Spectrum of beryllium—**27,** 106(A)
Pauling, Linus. Dielectric constant and molecular weight of bromine vapor—**27,** 181
———Quantum theory of dielectric constant of hydrogen chloride and similar gases—**27,** 568
Peacock, H. B. Hall effect in evaporated films of Fe, Co, Ni, Pd, and Pt—**27,** 474
Peterson, Eugene. Complex magnetization—**27,** 318
Phipps, T. E., W. D. Lansing and **T. G. Cooke.** Electrical conductance of halides of sodium—**27,** 113(A)

Piersol, R. J. Cross-sectional area of an Einstein quantum—**27,** 509(A)
Pinney, L. E. (see Reese, H. M.)—**27,** 247(A)
Plyler, E. K. Infra-red spectra of brucite and some sulphates; isotopic effect—**27,** 801(A)
Poindexter, Franklin E. Vapor pressure of solid sodium amalgams—**27,** 115(A)
———Vapor pressure of solid potassium amalgams —**27,** 253(A)
———Surface tension of sodium—**27,** 820(A)
Pomeroy, William C. Fine structure of the λ4842 band of AlO—**27,** 640(A)
———and **R. T. Birge.** Quantum analysis of the band spectrum of AlO (λ5200–λ4650)—**27,** 107(A)

Ramsey, R. R. Resistance of condensers at radio frequency—**17,** 815(A)
———High frequency resistance of condensers in series—**27,** 114(A)
———Measurement of high frequency resistance of coils, **27,** 251(A)
Rashevsky, N. On some solutions of Maxwell-Lorentz equations, which may correspond to Bohr's quantum postulates—**27,** 105(A)
———Thermodynamics of thermionic phenomena— **27,** 254(A)
———Theory of thermionics—**27,** 810(A)
Read, H. S. Effect of temperature on x-ray absorption—**27,** 373
———X-ray absorption in heated silver—**27,** 795(A)
Reese, H. M. and **L. E. Pinney.** Interference in a spectrometer with white light and wide slit— **27,** 247(A)
Reilley, H. E. and **A. Norman Shaw.** Redetermination of temperature coefficients and ageing correction for new and old standard cells of normal and acid types—**27,** 517(A)
Richtmyer, F. K. Magnitude of the K-Absorption discontinuity—**27,** 1
———and **J. B. Bishop.** A precision study of K absorption limit—**27,** 794(A)
Robertson, John K. Method for exciting spectra of certain metals—**27,** 511(A)
Rodebush, W. H. Location of electromotive forces in galvanic cells and thermocouples—**27,** 250(A)
Ross, P. A. Compton effect and virtual oscillators— **27,** 637(A)
Rowles, W. (see Foster, J. Stuart)—**27,** 512(A)
Rowse, L. H. Optical constants of single crystal bismuth—**27,** 247(A)
Rudy, Richard. Studies on active nitrogen—**27,** 110(A)
Rudy, Richard. Low-voltage characteristic in mercury vapor—**27,** 110(A)
———Collector characteristics in neon and helium —**27,** (A) 807

Sabine, Paul E. Transmission of sound by double-wall partitions—**27,** 116(A)
———Transmission of sound by masonry partitions —**27,** 116(A)
Salisbury, W. W. A new type of electromagnetic wave-meter—**27,** 251(A)
Salkover, Meyer. Bateman's extended electrodynamics—**27,** 87
Sanders, W. H. (see Paton, R. F.)—**27,** 106(A)
Saunders, F. A. Spectrum of argon—**27,** 799(A)
Sawyer, R. A. pp′ groups in atomic spectra— **27,** 106(A)
Schriever, William. Accurate measurements of small capacities—**27,** 251(A)
Sharp, H. M. Precision measurement of change of wave-length of scattered x-rays—**27,** 102(A)
Shaw, A. Norman (see Reilley, H. E.)—**27,** 517(A)
Shea, J. D. and **R. T. Birge.** Molecular constants determined from Swan bands—**27,** 245(A)
Shedlovsky, Theodore (see MacInnes, D. A.)— **27,** 130
Sheldon, H. Horton and **Roger S. Estey.** Report on failure of mercury to gold transmutation experiment—**27,** 515(A)
Shenstone, A. G. Spectrum of copper—**27,** 511(A)
Simon, A. W. Theory of electrostatic alternators— **27,** 747
———Quantitative theory of electrostatic voltage multiplier—**27,** 341
Skinner, Charles H. Anomalous action of Rayleigh disk—**27,** 117(A), 346
Skinner, E. W. (see Stewart, G. W.)—**27,** 104(A)
Slack, C. M. Refraction of x-rays in prisms of various materials—**27,** 691
———(see Davis, Bergen)—**27,** 18
———(see Davis, Bergen)—**27,** 796(A)
Slack, F. G. and **Harold W. Webb.** Duration of radiation excited in hydrogen by 10.2-volt electron impacts—**27,** 244(A)
Slepian, J. Thermionic work function and space charge—**27,** 112(A)
———Theory of current transference at cathode of an arc—**27,** 249(A), 407
Smith, Alpheus W. (see Frayne, John G.)—**27,** 23, 246(A)
Smith, Stanley (see Lang, R. J.)—**27,** 108(A)
———and **R. J. Lang.** Standard wave-lengths for use in extreme ultra-violet—**27,** 512(A)

Smyth, H. D. Collisions of second kind in activated ozone—**27,** 108(A)
———and **C. J. Brasefield.** Positive ray analysis of ions in a discharge in hydrogen—**27,** 514(A)
Snow, Chester. Inductance of a helix made with wire of any section—**27,** 815(A)
———Electric field of a charged wire and a slotted cylindrical conductor—**27,** 812(A)
Souder, Wilmer and **Peter Hidnert.** Measurements on thermal expansion of fused silica—**27,** 253(A)
Sponer, Hertha. Heat of dissociation of N_2 and N_2^+—**27,** 641(A)
———(see Birge, Raymond T.)—**27,** 640(A), 641(A)
———and **J. J. Hopfield.** Absorption bands of nitric oxide—**27,** 640(A)
Spooner, Thomas. Temperature coefficient of magnetic permeability of sheet steel—**27,** 115(A), 183
Stearns, J. C. Variation of coefficient of viscosity of air with relative humidity—**27,** 116(A)
Stephenson, B. R. (see Cork, J. M.)—**27,** 530
———(see Cork, J. M.)—**27,** 103(A)
———and **J. M. Cork.** K-series emission spectra for elements from Ta (73) to Bi (83)—**27,** 138
Stewart, G. W. "Node" at the source—**27,** 253(A)
———Acoustic transmission with a Helmholtz resonator or an orifice as a branch line—**27,** 487
———Tube as a branch of an acoustic conduit: special case of the Quincke tube—**27,** 494
———Direct absolute measurement of acoustic impedance—**27,** 818(A)
Stewart, G. W., Roger M. Morrow and **E. W. Skinner.** Diffraction of x-rays in liquids—**27,** 104(A)
Stone, S. B. (see Harkins, William D.)—**27,** 117(A)
Stuhlman, Otto, Jr. Ultra and extra-ultra-violet spectrum of iron as developed by the inverse photo-electric effect—**27,** 799(A)
Subramanyam, S. Ganapati. Phonic wheel and surface tension of liquids—**27,** 632
Sweeney, W. T. (see Hidnert, Peter)—**27,** 519(A)

Taylo,r A. Hoyt and **E. O. Hulburt.** Propagation of radio waves over the earth—**27,** 189
Taylor, G. B. (see Boyle, R. W.)—518(A)
Taylor, John B. Magnetic properties of atomic rays of alkali metals—**27,** 248(A)
———Magnetic moments of alkali metal atoms—**27,** 817(A)
Taylor, T. Smith. (see Maibauer, A. E.)—**27,** 251(A)
Tolman, Richard C. and **Richard M. Badger.** New kind of test of correspondence principle—**27,** 383
Tonks, L., H. M. Mott-Smith, Jr. and **I. Langmuir.** Flow of ions through a small orifice in a charged plate—**27,** 514(A)
Turner, Louis A. Arc spectra of I, Br and Cl in Schumann region—**27,** 397

Urey, H. C. Structure of hydrogen molecule ion—**27,** 216, 800(A)
———Structure of hydrogen molecule—**27,** 800(A)

Valasek, Joseph. Piezo-electric effect in sodium bromate—**27,** 254(A)
Vallarta, M. Sandoval. Theory of continuous x-ray spectrum—**27,** 104(A)
Van der Merwe, C. W. Use of a cathode-ray tube for transmission of speech—**27,** 805(A)
Van Dyke, Geo. D. (see Lindsay, Geo. A.)—**27,** 508(A), 725
Van Voorhis, C. C. (see Compton, K. T.)—**27,** 516(A),724
Vincent, H. B. (see Williams, N. H.)—**27,** 810(A)
Von Nardroff, Robert. Refraction of x-rays applied to determination of diameters of small particles—**27,** 797(A)

Wahlin, H. B. Motion of electrons in hydrogen and helium—**27,** 588
Wall, C. N. Energy distribution in continuous x-ray spectrum—**27,** 104(A)
———Measurement of air velocity by means of a Rayleigh disk—**27,** 253(A)
Wang, S. C. (see Kennard, E. H.)—**27,** 460
Warren, Bertram E. Electron lattice theory of metals—**27,** 797(A)
Watson, F. R. Optimum reverberation in auditoriums—**27,** 117(A)
Watson, William W. Combination relation in the λ3064 OH band—**27,** 246(A)
———Half-integral vibrational quantum numbers and rotational energy data for the MgH bands—**27,** 801(A)
Weatherby, B. B. and **A. Wolf.** Dielectric constant of helium and oxygen in a magnetic field—**27,** 252(A)
———Test for space quantization in a magnetic field—**27,** 769
Weaver, Warren. Duration of transient state in the settling of small particles—**27,** 499
Webb, Harold W. (see Messenger, Helen A.)—**27,** 807(A)
———(see Slack, F. G.)—**27,** 244(A)
———(see White, D. R.)—**27,** 243(A)
Webster, D. L. Continuity of the x-ray spectrum at a wave-length twice the short-wave limit—**27,** 638(A)

Welo, Lars A. and **Oskar Baudisch.** Crystal size and hysteresis in precipitated magnetite—**27,** 511(A)

White, D. R. and **Harold W. Webb.** Voltage-intensity relations of mercury lines below ionization—**27,** 243(A)

White, Marsh W. (see Ham, W. R.)—**27,** 111(A)

———(see Ham, W. R.)—**27,** 510(A)

Wilber, D. T. Approximating the "screening constant"—**27,** 513(A)

Williams, E. H. Magnetic properties of rare earth oxides—**27,** 484

———Role of magnetism in valence—**27,** 114(A)

Williams, Horatio B. Small Einthoven galvanometer—**27,** 516(A)

Williams, N. H. (see Hull, Albert W.)—**27,** 111(A), 432

———and **H. B. Vincent.** Measurement of electronic charge by shot effect in aperiodic circuits—**27,** 810(A)

Wilson, Thomas A. (see Davey, Wheeler P.)—**27,** 105(A)

———and **Wheeler P. Davey.** Expansion of copper from absolute zero to the melting-point—**27,** 819 (A)

Witmer, Enos E. Critical potentials and heat of dissociation of hydrogen as determined from its ultra-violet band spectrum—**27,** 513(A)

———(see E. C. Kemble)—**27,** 802(A)

Wold, P. I. Hall effect in mono-crystalline copper—**27,** 817(A)

Wolf, A. (see Weatherby, B. B.)—**27,** 252(A)

———(see Weatherby, B. B.)—**27,** 769

Wolff, Irving. Study of polarization capacity over a wide frequency band—**27,** 755

Woo, Y. H. Energy distribution between modified and unmodified rays in Compton effect—**27,** 102(A), 119

Young, W. M. Mobility of ions in corona discharge—**27,** 110(A)

Zahn, C. T. Association, adsorption, and dielectric constant—**27,** 329

———Electric moment of CO_2, NH_3, and SO_2—**27,** 455

Zanstra, H. Application of quantum theory to luminosity of diffuse nebulae—**27,** 644(A)

Zeleny, John and **Leigh Page.** Forces on a rigid magnetized conductor—**27,** 470.

Zumstein, R. V. Absorption spectrum of manganese vapor—**27,** 106(A)

———Absorption spectrum of tin vapor in the ultra-violet—**27,** 150

———Absorption spectra of Te, Bi, Cr and Cu vapors in the visible and ultra-violet—**27,** 562

Zwicky, F. Theory of electrolytes—**27,** 642(A)

Zworykin, V. Electrolytic conduction of potassium through glass—**27,** 813(A)

ANALYTIC SUBJECT INDEX TO VOLUME 27

References with (A) are merely to abstracts of papers presented at meetings of the Physical Society.

Absorption of light (see also Spectra)
Absorption bands in dye solutions, relation to fluorescence, E. Merritt—**27,** 804(A)
Absorption lines, "True half-breadth," T. M. Dahm—**27,** 246(A)
Absorption probabilities, in Cs vapor, F. M. Mohler, P. D. Foote, R. L. Chenault—**27,** 37
Acoustics
Conduit, Helmholtz resonator or orifice as branch, G. W. Stewart—**27,** 487
Conduit, tube as branch, G. W. Stewart—**27,** 494
Impedance, direct absolute measurement, G. W. Stewart—**27,** 818(A)
Intensity of sound in auditoriums, optimum reverberation, S. Lifshitz—**27,** 618
Melde's experiment, rotation of pulley, A. T. Jones —**27,** 622
Nodal location in Kundt's tube and Melde's experiment, G. W. Stewart—**27,** 253(A)
Rayleigh disk, anomalous action, C. H. Skinner—**27,** 117(A), 346
Reflection of sound, relation to the thickness of partition, R. W. Boyle, J. F. Lehmann—**27,** 518(A)
Reverberation in auditoriums, optimum, F. R. Watson—**27,** 117(A)
Reverberation, measurement with thermionic oscillator, V. O. Knudsen—**27,** 643(A)
Street noise in New York City, E. E. Free—**27,** 518(A)
Transmission of sound by double-wall partitions, P. E. Sabine—**27,** 116(A)
Transmission of sound by masonry partitions P. E. Sabine—**27,** 116(A)
Transmission of speech, use of cathode tube, C. W. van der Merwe—**27,** 805(A)
Tuning fork, effect of amplitude on frequency, C. Moon and H. L. Curtis—**27,** 818(A)
Ultrasonic beam, cavitation in the track, R. W. Boyle, G. B. Taylor—**27,** 518(A)
Wave filters, action in solids, H. F. Olson—**27,** 116(A)
Activated Gases
Hg vapor, hydrogenation of ethylene, A. R. Olson, C. H. Meyers—**27,** 807(A)
N_2, after-glow characteristics, R. Rudy—**27,** 110(A)
N_2, conductivity, P. Constantinides—**27,** 249(A)
O_2, collisions of second kind, H. D. Smyth—**27,** 108(A)
Adsorption
Cs on W and oxidized W, thermionic and evaporation characteristics, J. A. Becker—**27,** 112(A), 811(A)
K and Rb on W, thermionic effects, T. J. Killian—**27,** 578
Water vapor on metals, C. T. Zahn—**27,** 329
Aerodynamics
Air velocity, measurement by Rayleigh disk, C. N. Wall—**27,** 253(A)
Pressure distribution over air foils at high speeds, L. J. Briggs, H. L. Dryden—**27,** 820(A)
Alkali Metals
Crystalline and amorphous states, C. C. Bidwell—**27,** 381
Magnetic properties of atomic rays, J. B. Taylor—**27,** 248(A), 817(A)
Properties under high pressures, P. W. Bridgman—**27,** 68
Altimeters and Altigraphs
Compensation for air temperature, W. G. Brombacher—**27,** 821(A)
Amplification
With shielded-grid pliotrons, A. W. Hull—**27,** 113(A), 439
Arc
Characteristic curves, relation to anode temperature, W. B. Nottingham—**27,** 806(A)
Collector characteristics in He and Ne, R. Rudy—**27,** 807(A)
Current densities and carrier temperatures, method, L. Tonks, H. M. Mott-Smith, Jr., I. Langmuir —**27,** 514(A)
Current transfer at cathode, theory, J. Slepian—**27,** 249(A), 407
Arc, Low Voltage
In H_2, potential distribution, O. S. Duffendack, W. S. Kimball—**27,** 109(A)
In He, potential distribution, carrier concentrations and energy, W. H. McCurdy, P. Dalton—**27,** 163
In Hg vapor, characteristics, R. Rudy—**27,** 110(A)

Arc, Low Voltage (con'd)
In I, optical and electrical study, H. F. Fruth, O. S. Duffendack—**27,** 248(A)
Aspirator
Relative importance of Bernoulli principle and viscosity, E. L. Harrington—**27,** 253(A)
Association
Of water vapor, bearing on dielectric constant, C. T. Zahn—**27,** 329.
Atmospherics
Lightning flashes, potential variations, R. H. Mortimore—**27,** 255(A)
Atomic Rays
Of alkali metals, magnetic properties, J. B. Taylor—**27,** 248(A), (A)
Of Hg, production and detection, T. H. Johnson——**27,** 519(A)
Atomic Structure (see also Molecular Structure)
Carbon atom model, R. B. Lindsay—**27,** 798(A)
Kα doublet, separation irregularities, D. M. Bose—**27,** 521
NaCl electron distribution, A. H. Compton—**27,** 510(A)
Relation to crystal structure, M. L. Huggins—**27,** 286
Screening constant, approximation, D. T. Wilber—**27,** 513(A)
Theory, gyromagnetic electrons, L. V. King—**27,** 804 (A)
Transition probabilities; principal quantum numbers, F. C. Hoyt—**27,** 105(A)
Transition probabilities, E. O. Lawrence—**27,** 555
Valence, magnetic theory, E. H. Williams—**27,** 114(A)
Atomic Weights
Cl, terrestrial and meteoric; isotopic composition, W. D. Harkins, S. B. Stone—**27,** 117(A)
Beta Rays
RaD, spectrum—L. F. Curtiss—**27,** 257
Book Reviews
Allen, H. S.; Photoelectricity—**27,** 239
Arrhenius, Svante August; Chemistry in Modern Life—**27,** 99
Auerbach, Felix; Modern Magnetics—**27,** 505
Birtwistle, George; Principles of Thermodynamics —**27,** 100
Bridgman, P. W.; Condensed Collection of Thermodynamic Formulas—**27,** 239
Bureau of Standards Circ. No. 279; Relation between the temperatures, pressures and densities of gases—**27,** 793
Engineering Foundation; Popular Research Narratives—**27,** 505
Eitel, W.; Über die Synthese der Feldspatvertreter—**27,** 238
Grossmann, G.; Physikalische und Technische Grundlagen der Roentgentherapie—**27,** 238
Helmholtz's Treatise on Physiological Optics. Vol. III—**27,** 504
Heyl, Paul R.; Fundamental Concepts of Physics in Light of Modern Discovery—**27,** 634
Houston, R. A.; Treatise on Light—**27,** 238
Kovarik, A. F. and L. W. McKeehan; National Research Council Bull. No. 51, Radioactivity—**27,** 351
Lamb, Horace; Dynamical Theory of Sound—**27,** 352
Landé, A.; Die Neuere Entwicklung der Quanten Theorie—**27,** 635
Mach, E.; Popular Wissenschaftliche Vorlesungen—**27,** 99
Spinney, L. B.; Textbook of Physics—**27,** 635
Tuttle, Lucius and John Satterly; Theory of Measurements—**27,** 504
Braun Tube
With external electrodes, rate of neutralization of field, A. M. Cravath and L. T. Jones—**27,** 641 (A)
With internal and external electrodes, deflections, R. A. Jack and L. T. Jones—**27,** 642(A)

Capacity (see Electrical Capacity)
Cathode Ray Tube
Use in the transmission of speech, C. W. van der Merwe—**27,** 805(A)
Cathode Sputtering
Conditions governing, E. O. Hulburt—**27,** 805(A)
Chemical combination
Effect on absorption of x-rays, W. B. Morehouse—**27,** 794(A)
Collector characteristics
Discharges in Ne and He, R. Rudy—**27,** 807(A)
Collisions of the second kind
In activated ozone, H. D. Smyth—**27,** 108(A)
Colloids
Solutions, polarization of fluorescent light, P. Fröhlich—**27,** 803(A)
Compressibility
Alkali metals at high pressure, P. W. Bridgman—**27,** 68
Compton Effect
Intensities of modified and unmodified rays
Al, C, S, paraffin, wood radiators, Y. H. Woo—**27,** 102(A), 119
Al, C, Cu radiators, O. K. DeFoe—**27,** 242(A),

Compton Effect (con'd)
B radiator, G. E. M. Jauncey, R. A. Boyd, W. W. Nipper—**27,** 103(A)
C radiator, G. E. M. Jauncey, R. A. Boyd—**27,** 795 (A)
Effect of thickness of radiator, J. A. Gray—**27,** 509(A)
Experimental improvements, O. K. DeFoe, G. E. M. Jauncey—**27,** 102(A)
Theory, G. E. M. Jauncey—**27,** 103(A)
Theory, correspondence principle, G. Breit—**27,** 242(A), 362
Theory, virtual oscillators, P. A. Ross—**27,** 637(A)
Wave-length of modified ray
Precision measurement for paraffin, H. M. Sharp—**27,** 102(A)
Theory, correspondence theorem, G. Breit—**27,** 242(A), 362
Contact electromotive force
Of C, B. O'Brien—**27,** 813(A)
Corona discharge
Mobility of ions, W. M. Young—**27,** 110(A)
Correspondence principle
In Compton effect, G. Breit—**27,** 242(A), 362
Test, R. C. Tolman and R. M. Badger—**27,** 383
Cosmic Rays (see also Penetrating Radiation; Ionization, Natural)
Electroscope leaks at high altitudes, R. A. Millikan and I. S. Bowen—**27,** 353; R. A. Millikan, R. M. Otis—**27,** 645
Crystal structure and density
Ag, Cu and W, lattice parameters and densities, W. P. Davey, T. A. Wilson—**27,** 105(A)
Alkali metals, C. C. Bidwell—**27,** 381
Anatase and rutile, tetragonal form of TiO_2, M. L. Huggins—**27,** 638(A)
Application to atomic structure, M. L. Huggins—**27,** 286
Diamond, R. B. Lindsay—**27,** 798(A)
Electron lattice theory of metals, B. E. Warren—**27,** 797(A)
Fluorite, D. A. MacInnes and T. Shedlovsky—**27,** 130
Magnetite, precipitated, L. A. Welo and O. Baudisch—**27,** 511(A)
$[N(CH_3)_4]_2PtCl_6$, M. L. Huggins—**27,** 638(A)
Ni-Cr solid solutions, F. C. Blake, A. E. Focke—**27,** 798(A)
NaCl, electron distribution, A. H. Compton—**27,** 510(A)
Zirconium oxide, W. P. Davey—**27,** 798(A)
Dielectric constant
Air, He and O_2 in a magnetic field, B. B. Weatherby and A. Wolf—**27,** 252(A),
Br vapor, relation to molecular weight, L. Pauling—**27,** 181
Electrolytes, relation to concentration, E. M. Little—**27,** 814(A)
HCl and similar gases, quantum theory, L. Pauling—**27,** 568
N_2, CO_2, NH_3 and SO_2, variation with temperature, C. T. Zahn—**27,** 455
Water vapor, effect of pressure and temperature, C. T. Zahn—**27,** 329
Diffraction (see also X-Rays)
By gratings, G. Breit—**27,** 508(A)
Discharge through gases (see also Arc)
Between coaxial cylinders, space charge currents, W. H. McCurdy—**27,** 157
Between equipotential plates, potential distribution, M. E. Hufford—**27,** 110(A)
In alkali vapors, optical and electrical study, A. J. McMaster—**27,** 109(A)
In Geiger counting chamber, mechanism, C. W Hewlett—**27,** 111(A)
In H_2, analysis of ions, H. D. Smyth, C. J. Brasefield—**27,** 514(A)
In He, potential distribution and carrier concentration, W. H. McCurdy, P. Dalton—**27,** 163
In He, change of refractive index, W. H. McCurdy, A. Bramley—**27,** 314
In mixed gases, spectroscopic study, D. A. Keys, M. S. Home—**27,** 248 (A),709
Dispersion (see also X-Rays)
Greater dispersion in the extreme ultra-violet, R. J. Lang, S. Smith—**27,** 108(A)
Of optical constants of Hg, B. O'Brien—**27,** 93
Dissociation, Heat of
CO, CO^+ and NO, R. T. Birge and H. Sponer—**27,** 641(A)
H_2, from band spectrum, E. E. Witmer—**27,** 513(A)
N_2 and H_2^+, H. Sponer—**27,** 641(A)
Non-polar molecules, from band spectra and other sources, R. T. Birge, H. Sponer—**27,** 640(A)
O_2 and O_2^+, R. T. Birge—**27,** 641(A)
Doppler Effect
Quantum theory, G. E. M. Jauncey—**27,** 637(A)

Elastic Properties
Hysteresis in flexure of bars, Ewing effect, G. H. Keulegan—**27,** 818(A)

Electrical Capacity
Polarization capacity, variation with frequency, I. Wolff—**27,** 755
Self-capacity of multi-layer coils, A. Astin—**27,** 815 (A)
Small capacities, W. Schriever—**27,** 251(A)
Electrical Conductivity and Resistance
Activated N_2, P. A. Constantinides—**27,** 249(A)
Alkali metals under high pressures, P. W. Bridgman—**27,** 68
Alloys, liquid, C. V. Kent—**27,** 250(A)
$CaCl_2$, solutions, M. Crow—**27,** 516(A)
Coils, at high frequency, R. R. Ramsey—**27,** 251 (A)
Condensers, at radio frequency, R. R. Ramsey—**27,** 815(A)
Condensers, in series, C. D. Callis—**27,** 113(A); R. R. Ramsey—**27,** 114(A)
Condensers, variation with dial setting, A. E. Maibauer, T. S. Taylor—**27,** 251(A)
Fe, Co, Ni, Pd, Pt, evaporated films, H. B. Peacock—**27,** 474
Halides of Na, T. E. Phipps, W. D. Lansing, T. G. Cooke—**27,** 113(A)
Metals, theory, departures from Ohm's law, K. T. Compton—**27,** 249(A)
Electrical Measurements and Instruments (See also Electrical Conductivity and Resistance)
Amplication of galvanometer deflection by photoelectric cell, F. E. Null—**27,** 114(A)
Galvanometer ballistic as an integrating instrument, L. F. Curtiss, C. Moon—**27,** 816(A)
Galvanometer, small Einthoven, H. B. Williams—**27,** 516(A)
Radio standards of frequency, use of harmonic amplifier, C. B. Jolliffe, G. Hazen—**27,** 815(A)
Small capacities, W. Schriever—**27,** 251(A)
Vacuum tube multimeter, application, S. L. Brown, M. Y. Colby—**27,** 250(A)
Wave-meter, H. L. Dodge—**27,** 252(A); W. W. Salisbury—**27,** 251(A)
Electric Currents
Affected by electrostatic fields, P. H. Craig—**27,** 814 (A)
Electric Moment (See Dielectric Constant)
Electrolytes
$CaCl_2$, concentrated solutions, conductivity, M. Crow—**27,** 516(A)
Conduction of Na through glass, R. C. Burt—**27,** 813(A)
Conduction of K through glass, V. Zworykin—**27,** 813(A)
Dielectric constant, E. M. Little—**27,** 814(A)
Theory, F. Zwicky—**27,** 642(A)
Electromagnetic Theory
Bateman's extended electrodynamics, M. Salkover—**27,** 87
Electrostatic alternators, theory, A. W. Simon—**27,** 747
Faraday tubes and Ampere's rule, R. C. Colwell—27, 816(A)
Field of charged wire and slotted cylindrical conductor, C. Snow—**27,** 815(A)
Forces on rigid magnetized conductor, E. H. Kennard, S. C. Wang—**27,** 460
Forces on rigid magnetized conductor, J. Zeleny, L. Page—**27,** 470
Gyromagnetic electrons and a classical theory of atomic structure and radiation, L. V. King—**27,** 804(A)
Inductance of helix with wire of any section, C. Snow—**27,** 815(A)
Light propagation in molecular media of varying density, L. V. King—**27,** 518(A)
Magnetization by rotary fields, Fisher's experiments, S. J. Barnett—**27,** 115(A)
Mass constancy, J. A. Eldridge—**27,** 254(A)
Radiation of energy and angular momentum, H. Bateman—**27,** 606
Relation to Bohr's quantum postulates, N. Rashevsky—**27,** 105(A)
Relation to Newton's third law, J. A. Eldridge—**27,** 114(A)
Relativity, practical importance, J. A. Eldridge—**27,** 117(A)
Torque on revolving cylindrical magnet, A. L. Kimball—**27,** 115(A)
Voltage multiplier, electrostatic, A. W. Simon—**27,** 341
Electromagnetic Waves (See also Wireless)
Standing, experiments, A. Marcus—**27,** 250(A)
Wave form, A. Astin—**27,** 815(A)
Electromotive Force
Contact e.m.f. of C, B, O'Brien—**27,** 813(A)
Location in galvanic cells and thermocouples, W. H. Rodebush—**27,** 250(A)
Standard cells, temperature coefficients, aging corrections, H. E. Reilley, A. N. Shaw—**27,** 517(A)
Electrons
Charge, from shot effect, N. H. Williams, H. B. Vincent—**27,** 810(A)
Charge, ratio to **h**, E. O. Lawrence—**27,** 809(A)

Electrons—(Con'd)
Effect on photographic emulsions, K. Cole—**27,** 809 (A)
Gyromagnetic, theory, L. V. King—**27,** 804(A)
Mass, from Compton effect, H. M. Sharp—**27,** 102(A)
Velocity distribution, E. O. Lawrence—**27,** 112(A)
Electrons in Gases (See Potentials, Critical; Discharge; Arc)
Collector characteristics in Ne and He, R. Rudy—**27,** 807(A)
Collisions with gas molecules, I. Langmuir, H. A. Jones—**27,** 806(A)
Concentration and temperature in arcs, method, L. Tonks, H. M. Mott-Smith, Jr., I. Langmuir —**27,** 514(A)
Formation of negative ions in Hg vapor, W. M. Nielsen—**27,** 807(A), 716
Impacts in Na and Hg Vapors, polarization of radiation, A. Ellet, P. D. Foote, L. F. Mohler—**27,** 31
Mobility in H_2 and He, H. B. Wahlin—**27,** 588
Electrons in Metals (See also Thermionic Emission)
Abstraction by intense electric fields, R. A. Millikan, C. F. Eyring—**27,** 51
Departures from Ohm's law, theories of conduction, K. T. Compton—**27,** 249(A)
Electron lattice theory, B. E. Warren—**27,** 797(A)
Electrons, Secondary
From Fe, critical potentials, H. E. Farnsworth—**27,** 243(A), 413
From metals under positive ion bombardment, W. J. Jackson—**27,** 809(A)
From Mo target of Coolidge tube, W. R. Ham, M. W. White—**27,** 510(A)
From target of Coolidge tube, W. R. Ham, M. W. White—**27,** 111(A)
Electron Tube (See Vacuum Tube)
Eriometer
Thomas Young's eriometer, W. F. Emmons—**27,** 517(A)
Ether-drift
Experiments on Mount Wilson, February, 1926—D. C. Miller—**27,** 812(A)
Evaporation
Heat losses, from water surface, I. S. Bowen—**27,** 820(A), 779
Of Cs, adsorbed on W, characteristics, J. A. Becker —**27,** 112(A)
Excited Atoms (See also Activated Gases)
Hg, hydrogenation of ethylene, A. R. Olson, C. H. Meyers—**27,** 807(A)
Faraday Cylinder
Application to electron velocity measurements, E. O. Lawrence—**27,** 112(A)
Fine Structure of Spectrum Lines (see also Spectra)
Balmer lines, W. V. Houston—**27,** 244(A)
Fluorescence
Exciting power and black-body radiation, E. H. Kennard—**27,** 803(A)
Fluorescein, time between excitation and emission, L. G. Hoxton and J. W. Beams—**27,** 245(A)
Of I_2, F. W. Loomis—**27,** 802(A)
Polarization of fluorescence from colloid solutions, P. Fröhlich—**27,** 803(A)
Relation to absorption in organic dye solutions, E. Merritt—**27,** 804(A)
Relation to transformation spectra, E. L. Nichols and H. L. Howes—**27,** 803(A)
Galvanic Cells
Location of e.m.f., W. H. Rodebush—**27,** 250(A)
Galvanometers
Amplification of deflection by photo-cell, F. E. Null—**27,** 114(A)
Ballistic, as integrating instrument, H. L. Curtis and C. Moon—**27,** 816(A)
Einthoven, small, H. B. Williams—**27,** 516(A)
Gamma Rays
Of Ra, scattering and absorption, H. M. Cave and J. A. Gray—**27,** 103(A)
Geiger Counting Chamber
Mechanism of action, C. W. Hewlett—**27,** 111(A)
Glass
Coloring in ultra-violet light, C. L. Cross—**27,** 108(A)
Grignard Compounds
Luminescence in magnetic and electric fields, R. T. Dufford, D. Nightingale, L. W. Gaddum—**27,** 247(A)
Hall Effect
Evaporated films, Fe, Co, Ni, Pd, Pt, H. B. Peacock —**27,** 474
Mono-crystalline copper, P. I. Wold—**27,** 817(A)
Na, K, E. S. Bieler—**27,** 517(A)
Relation to thermo-electric power, C. W. Heaps—**27,** 252(A)
Variations due to changes in crystallinity, L. J. Neuman—**27,** 643(A)
With low magnetic fields, P. H. Craig—**27,** 772
Heat Transfer (see also Thermal Conductivity)
Between two coaxial cylinders, S. R. Parsons—**27,** 519(A), 788

Heat Transfer—(Con'd)
By conduction and evaporation from water surface, I. S. Bowen—**27,** 820(A), 779
Hydrogenation
Of ethylene by excited Hg, A. R. Olson, C. H. Meyers—**27,** 807(A)

Ice
Disruption by high temperatures, H. T. Barnes—**27,** 821(A)
Inductance
Of helix made with wire of any section, C. Snow—**27,** 815(A)
Intensity in Spectra (see also Spectra)
Calculations based on matrix dynamics, F. C. Hoyt—**27,** 805(A)
Distribution in band systems, theory, E. Condon—**27,** 640(A)
Hg lines, voltage relations, D. R. White and H. W. Webb—**27,** 243(A)
Test of correspondence principle, R. C. Tolman and R. M. Badger—**27,** 383
Interference of Radiation
By multiple reflections, visibility phenomena, L. Gilchrist—**27,** 596
From equally spaced parallel planes, T. H. Gronwall—**27,** 277
In spectrometer with white light, H. M. Reese and L. E. Pinney—**27,** 247(A)
Of single light quantum, A. J. Dempster—**27,** 804(A)
Ionization by Electron Impact (see also Potentials, Critical)
Analysis of ions formed
In H_2, H. D. Smyth and C. J. Brasefield—**27,** 514(A)
In O_2, T. R. Hogness, E. G. Lunn—**27,** 642(A), 732
Probability as function of potential
In A, H_2, He, HCl, Hg, N_2, Ne, K. T. Compton, C. C. Van Voorhis—**27,** 516(A), 724
Ionization by Positive Ion Impact
In H_2, negative results, critique, W. J. Hooper—**27,** 109(A)
Ionization, Natural (see also Penetrating Radiation)
At altitudes 5 to 15.5 km, R. A. Millikan, I. S. Bowen—**27,** 353
In air, N_2, O_2, CO_2, to 75 atm., J. W. Broxon—**27,** 542
In air, H_2, He, A, O_2, N_2, CO_2, C_2, H_4, low pressures, W. W. Merrymon—**27,** 659
On mountain peaks and in airplanes, R. A. Millikan, R. M. Otis—**27,** 645
Ions (see also Mobility; Positive Ions; Thermionic Emission)
Formation of negatives in Hg vapor, W. M. Nielsen—**27,** 807(A), 716
Passage of protons and charged H_2 molecules through gases, A. J. Dempster—**27,** 108(A), 514(A)
Passage through small orifice in charged plate, L Tonks, H. M. Mott-Smith, Jr., and I. Langmuir—**27,** 514(A)
Positive ray analysis of ions in a discharge in H_2, H. D. Smyth, C. J. Brasefield—**27,** 514(A) 732
Positive ray analysis of ions in a discharge in O_2, T. R. Hogness, E. G. Lunn—**27,** 642(A) 732
Isotopes
Cl, meteoric and terrestrial, atomic weights, W. D. Harkins, S. B. Stone—**27,** 117(A)
Mg, Ni, K from infra-red band spectra, E. K. Plyler—**27,** 801(A)

Kα Doublets
Separation irregularities, theory, D. M. Bose—**27,** 521

Light Quanta (see Quantum)
Luminescence
Of active nitrogen, R. Rudy—**27,** 110(A)
Of Grignard compounds in magnetic and electric fields, R. T. Dufford, D. Nightingale, L. W. Gaddum—**27,** 247(A)
Transformation spectra, E. L. Nichols, H. L. Howes—**27,** 803(A)
Magnetic Properties
Atomic rays of alkali metals, moments, J. B. Taylor—**27,** 248(A)
Compounds of even and odd electron numbers, susceptibilities, E. H. Williams—**27,** 114(A)
Evaporated Ni films, effect of deposition-temperature, R. L. Edwards—**27,** 252(A)
Magnetite, precipitated, hysteresis, L. A. Welo, O. Baudisch—**27,** 511(A)
Mild steel, thermo-magnetic change point, effect of Si admixture, F. C. Farnham—**27,** 817(A)
Permalloy, magnetostriction, L. W. McKeehan, P. P. Cioffi—**27,** 817(A)
Rare-earth oxides, susceptibilities, E. H. Williams—**27,** 484
Sheet steel, permeability, temperature coefficient, T. Spooner—**27,** 115(A)
Silicon steel, complex magnetization, E. Peterson—**27,** 318
Magnetization
By rotary fields, Fisher's experiments, S. J. Barnett—**27,** 115(A)
Of silicon steel by two simultaneous sinusoidal fieds, E. Peterson—**27,** 318

Magnetostriction (see Magnetic Properties)
Melde's Experiment
Nodal location, G. W. Stewart—**27,** 253(A)
Rotation of pulley, A. T. Jones—**27,** 622
Melting Data
Alkali metals under high pressure, P. W. Bridgman—**27,** 68
Metastable Atoms (see also Activated Gases)
Increase of metastable atoms in Hg with accelerating voltage, H. A. Messenger and H. W. Webb—**27,** 807(A)
Michelson-Morley Experiment
At Mount Wilson in February, 1926, D. C. Miller—**27,** 812(A)
Mobility
Of electrons in H_2 and He, H. B. Wahlin—**27,** 588
Of ions in corona discharge, W. M. Young—**27,** 110(A)
Of ions in HCl, L. B. Loeb—**27,** 642(A)
Of ions in H_2O and H_2S relation to molecular structure, L. B. Loeb, A. M. Cravath—**27,** 811(A)
Of ions, theory, A. P. Alexeievsky—**27,** 811(A)
Molecular Beam
Production and measurement, T. H. Johnson—**27,** 519(A)
Molecular Structure, (see also Dissociation, Specific Heat, Spectra)
Energy states and moments of inertia
CN, CaH, N_2, N_2^+, law of force and size, R. T. Birge—**27,** 107(A)
CO, CO^+, R. T. Birge—**27,** 255(A)
H_2, from band spectra, H. C. Urey—**27,** 800(A)
H_2^+ vibrational model, H. C. Urey—**27,** 216, 800(A)
Method of calculation, R. T. Birge—**27,** 245(A)
Of emitter of Swan bands, J. D. Shea, R. T. Birge—**27,** 245(A)
Relation to atomic energy levels, R. T. Birge—**27,** 255(A)
Theory, R. S. Mulliken—**27,** 513(A)
Molecular weight
Br vapor, L. Pauling—**27,** 181
Valence
Magnetic theory, E. H. Williams—**27,** 114(A)
Optical Constants
Of Bi, single crystal, L. H. Rowse—**27,** 247(A)
Of Hg, B. O'Brien—**27,** 93
Of molybdenite in ultra-violet, A. W. Meyer—**27,** 247(A)

pp′ Groups (see Spectra)

Penetrating Radiation (see also Cosmic Rays; Ionization, Natural)
Absorption coefficient, R. A. Millikan, I. S. Bowen—**27,** 353; R. A. Millikan, R. M. Otis—**27,** 645
Suggested sources
Collisions between electrons and protons, A. L. Hughes, G. E. M. Jauncey—**27,** 509(A)
Formation of He from H, G. E. M. Jauncey, A. L. Hughes—**27,** 509(A)
Rutherford's neutron, E. Condon—**27,** 644(A)
Permeability (see Magnetic Properties)
Phonic Wheel
Application to surface tension measurements, S. G. Subramanyam—**27,** 632
Photo-chemical Action
Coloring of glass in ultra-violet light, C. L. Cross—**27,** 108(A)
Photo-electric Cells
Application to amplify galvanometer deflection, F. E. Null—**27,** 114(A)
Potassium, characteristics, V. M. Albers—**27,** 113(A)
Photo-electric Effect
Cs, K vapors; A, Ne, F. L. Mohler—**27,** 515(A)
Cs vapor, absorption, probabilities, F. L. Mohler, P. D. Foote, R. L. Chenault—**27,** 37
Hg, threshold, W. B. Hales—**27,** 809(A)
Inverse, in Fe, O. Stuhlman, Jr.—**27,** 799(A)
Oxide coated filament, S, W. H. Crew—**27,** 810(A)
Relation to transition probabilities, E. O. Lawrence—**27,** 555
Photographic sensitivity
To low speed electrons, K. Cole—**27,** 809(A)
Photo-ionization (see also Photo-electric effect)
Of Cs vapor, absorption probabilities, F. L. Mohler, P. D. Foote, R. L. Chenault—**27,** 37
Of Cs, K vapors, A, Ne, F. L. Mohler—**27,** 515(A)
Piezo-electricity
Quartz oscillator coated with metallic films, E. O. Hulburt—**27,** 814(A)
Sodium bromate, J. Valasek—**27,** 254(A)
Planck's Constant
Ratio to charge on electron, E. O. Lawrence—**27,** 809(A)
Pliotrons
Shielded grid, amplification, A. W. Hull—**27,** 113(A), 439
Shielded-grid, characteristics, A. W. Hull, N. H. Williams—**27,** 432
Polarization Capacity
Over wide frequency band, I. Wolff—**27,** 756
Polarization-Electric (see Dielectric constant)

Polarization of Radiation
Following electron impact in Na and Hg vapors, A. Ellett, P. D. Foote, F. L. Mohler—**27,** 31
From H atoms in electric field, K. L. Hertel—**27,** 804(A)
Of fluorescent light from colloid solutions, P. Fröhlich—**27,** 803(A)
Positive Ions (See also Thermionic Emission of Positives)
Concentration and temperature in arcs, L. Tonks, H. M. Mott-Smith, Jr., I. Langmuir—**27,** 514(A)
Impact in H_2, ionization potentials, W. J. Hooper—**27,** 109(A)
Impact on metals, secondary electrons, W. J. Jackson—**27,** 809(A)
In discharge in H_2, analysis, H. D. Smyth, C. J. Brasefield—**27,** 514(A)
Passage through gases, A. J. Dempster—**27,** 108(A), 514(A)
Potentials Critical
Of electron impact
In Cs, K vapors, A, Ne, F. L. Mohler—**27,** 515(A)
In Ga, In vapors, C. W. Jarvis—**27,** 248(A)
In H_2, N_2, on Fe catalyst, G. Kistiakowsky—**27,**808
In H_2, from band spectra, E. E. Witmer—**27,** 513(A)
In He, and double impacts, G. Glockler—**27,** 423
In Hg vapor, C. W. Jarvis—**27,** 808(A)
In Hg vapor, precision method, E. O. Lawrence—**27,** 515(A), 809(A)
In Hg vapor, spectroscopic examination, D. R. White, H. W. Webb—**27,** 243(A)
In N_2, O_2, F_2, Cl_2, stripped atoms, I. S. Bowen, R. A. Millikan—**27,** 144
On Fe surface, secondary emission, H. E. Farnsworth—**27,** 243(A), 413
Relation to radius of atom, A. S. Eve—**27,** 515(A)
Of positive ion impact
In H_2, negative results, critique, W. J. Hooper—**27,** 109(A)
Proceedings of American Physical Society
Chicago Meeting, November 27–28, 1925—**27,** 101
Kansas City Meeting, Decembef 28–30, 1925—**27,** 240
Montreal Meeting, February 26–27, 1926—**27,** 507
Stanford Meeting, March 6, 1926—**27,** 637
Washington Meeting, April 23–24, 1926—**27,** 794
Protons
Passage through gases, A. J. Dempster—**27,** 108(A), 514(A)

Quantization in Space
Of alkali metal atoms, J. B. Taylor—**27,** 248(A), 817(A)
Of He, O_2, test, B. B. Weatherby, A. Wolf—**27,** 252(A), 769
Quantum
Cross-sectional area, R. J. Piersol—**27,** 509(A)
Interference of single quantum, A. J. Dempster—**27,** 804(A)
Quantum Numbers
Half integral, in MgH bands, W. W. Watson—**27,** 801(A)
Relation to transition probabilities, F. C. Hoyt—**28,** 105(A)
Quantum Theory
Application to luminosity of nebulae, H. Zanstra—**27,** 644(A)
Matrix dynamics, application to intensities, F. C. Hoyt—**27,** 805(A)
Of dielectric constants, L. Pauling—**27,** 568
Of Doppler effect, G. E. M. Jauncey—**27,** 637(A)
Relation to Maxwell-Lorentz equations, N. Rashevsky—**27,** 105(A)

Radiation (See also Polarization, Penetrating Radiation)
Black-body, relation to fluorescence, E. H. Kennard—**27,** 803(A)
Duration, in H_2 under 10.2 v electron impact, F. G. Slack, Harold W. Webb—**27,** 244(A)
Electromagnetic theory, L. V. King—**27,** 804(A)
From collisions between protons and electrons, theory, A. L. Hughes, G. E. M. Jauncey—**27,** 509(A)
From formation of He from H, G. E. M. Jauncey and A. L. Hughes—**27,** 509(A)
From H in electric field, K. L. Hertel—**27,** 804(A)
From mass annihilation, A. S. Eve—**27,** 517(A)
Of energy, theory, H. Bateman—**27,** 606
Reflection from equally spaced planes, theory, T. H. Gronwall—**27,** 277
Thermal, from bismuth in magnetic field, C. W. Heaps—**27,** 764
Time between excitation and emission of fluorescence, L. G. Hoxton, J. W. Beams—**27,** 245(A)
Time interval for appearance of spectrum lines, J. W. Beams—**27,** 244(A)
Radioactivity
Gamma-rays of Ra, scattering and absorption, H. M. Cave and J. A. Gray—**27,** 103(A)
Geiger counting chambers, mechanism, C. W. Hewlett—**27,** 111(A)
RaD, beta-ray spectrum, L. F. Curtiss—**27,** 257
RaE, decay, L. F. Curtiss—**27,** 672
Rayleigh Disk
Anomalous action, C. H. Skinner—**27,** 117(A), 346

Rayleigh Disk—(Con'd)
Application to measure air velocity, C. N. Wall—**27,** 253(A)
Rectifier
Contact, new type, L. O. Grondahl—**27,** 813(A)
Refractive Index
Of He, changes in glow discharge, W. H. McCurdy, A. Bramley—**27,** 314
Relativity
And radiation, A. S. Eve—**27,** 517(A)
Ether-drift experiments, Mount Wilson, February 1926, D. C. Miller—**27,** 812(A)
Mass constancy, J. A. Eldridge—**27,** 254(A)
Practical importance, J. A. Eldridge—**27,** 117(A)
Residual Ionization (see Ionization, Natural)
Resonance Potentials (see Potentials, Critical)
Reverberation (see Acoustics)
Screening Constant
Approximation, D. T. Wilber—**27,** 513(A)
Settling of Small Particles
Transient state, W. Weaver—**27,** 499
Shot Effect
By impact ionization in A, A. W. Hull, N. H. Williams—**27,** 111(A)
In aperiodic circuits, electronic charge, N. H. Williams, H. B. Vincent—**27,** 810(A)
Solid Solutions
Nickel-chromium, F. C. Blake, A. E. Focke—**27,** 798(A)
Sounder, Acoustic
Performance on Australian crulse of U. S. fleet, L. P. Delsasso—**27,** 643(A)
Space Charge
Between coaxial cylinders, gas present, W. H. McCurdy—**27,** 157
Relation to work function, J. Slepian—**27,** 112(A)
Specific Heat
On H_2, calculation from band spectra, G. H. Dieke—**27,** 639(A)
Spectra, Absorption
Al, Ga, In, Tl vapors, ultra-violet, J. G. Frayne, A. W. Smith—**27,** 246(A)
Bi, Cr, Cu, Te vapors, R. V. Zumstein—**27,** 562
Brucite and some sulphates, isotopic effects, E. K. Plyler—**27,** 801
HCl, at 3.5μ, intensity, D. G. Bourgin, E. C. Kemble—**27,** 802(A)
Iodine vapor, F. W. Loomis—**27,** 802
Mn vapor, R. V. Zumstein—**27,** 106(A)
Nitric oxide, H. Sponer, J. J. Hopfield—**27,** 640(A)
Organic liquids, infra-red bands, J. W. Ellis—**27,** 245(A), 298
Organic liquids, effect of halogens, J. W. Ellis—**27,** 639(A)
Sn vapor, ultra-violet, R. V. Zumstein—**27,** 150
"True half-breadth" of absorption lines, T. M. Dahm—**27,** 246(A)
Spectra, Band (see also Molecular Structure)
Acetylene, methane, ethylene, F. C. McDonald—**27,** 246(A)
Active nitrogen, R. Rudy—**27,** 110(A)
AlO, quantum analysis (λ5200–4650), W. C. Pomeroy, R. T. Birge—**27,** 107(A)
AlO, λ4842, fine structure, W. C. Pomeroy—**27,** 640(A)
H_2, continuous, W. H. Crew, E. O. Hulburt—**27,** 800(A)
H_2, ultraviolet, interpretation, E. E. Witmer—**27,** 513(A)
H_2, applied to specific heat, G. H. Dieke—**27,** 639(A)
HCl, at 3.5μ, intensity, D. G. Bourgin, E. C. Kemble—**27,** 802(A)
I_2, resonance spectrum, E. C. Kemble, E. E. Witmer—**27,** 802(A)
I_2, fluorescence and absorption, F. W. Loomis—**27,** 802(A)
I_2, H. F. Fruth, O. S. Duffendack—**27,** 248(A)
Intensity distribution, theory ,E. Condon—**27,** 640(A)
MgH, quantum analysis, W. W. Watson—**27,** 801(A)
N_2, ultra-violet, analysis, J. J. Hopfield—**27,** 801(A)
NO_2, H. Sponer, J. J. Hopfield—**27,** 640(A)
O_2^+, λ2000–2300, V. M. Ellsworth, J. J. Hopfield—**27,** 639(A)
OH, λ3064, combination relation, W. W. Watson—**27,** 246(A)
Organic liquids, infra-red, J. W. Ellis—**27,** 245(A), 298
Organic liquids, effect of halogens, J. W. Ellis—**27,** 639(A)
Sodium hydride, P, Q, R combinations, E. H. Johnson—**27,** 800(A)
Structure, theory, R. S. Mulliken—**27,** 513(A)
Swan bands, molecular constants of emitter, J. D. Shea, R. T. Birge—**27,** 245(A)
Zeeman effect, theory, E. C. Kemble—**27,** 799(A)
Spectra, line
Argon, F. A. Saunders—**27,** 799(A)
Al, λ1250–500A, I. S. Bowen, R. A. Millikan—**27,** 144
Beryllium, R. F. Paton, W. H. Sanders—**27,** 106(A)
Br, Cl, I, in Schumann region, L. A. Turner—**27,** 397
Cd, Zn, Mg, H, time of appearance, J. W. Beams—**27,** 244(A)
Cd, Zn, time of appearance, J. W. Beams—**27,**805(A)

Spectra, Line—(Con't.)
Cd, wave-length standard, G. S. Monk—**27,** 107(A)
Cu, term values, Zeeman effects, A. G. Shenstone —**27,** 511(A)
F, Zeeman, effect, G. H. Carragan—**27,** 106(A)
Fe, ultra and extra-ultra-violet, O. Stuhlman, Jr.,— **27,** 799(A)
H, Balmer lines, fine structure, W. V. Houston—**27,** 244(A)
Hg, voltage-intensity relation, D. R. White, H. W. Webb—**27,** 243(A)
I, H. F. Fruth, O. S. Duffendack—**27,** 248(A)
Intensities, calculated by matrix dynamics, F. C. Hoyt—**27,** 805(A)
Interpretation of complex spectra, O. Laporte—**27,** 512(A)
Mixed gases, striated discharge, D. A. Keys, M. S. Home—**27,** 248(A), 709
N, ultra-violet, J. J. Hopfield—**27,** 801(A)
O(VI), O(V), extreme ultra-violet, I. S. Bowen, R. A. Millikan—**27,** 106(A), 144
pp' groups in O(V), I. S. Bowen, R. A. Millikan— **27,** 106(A), 144
pp' groups in elements S(I) to K(IV), J. J. Hopfield, G. H. Dieke—**27,** 638(A)
pp' groups, theory, R. A. Sawyer—**27,** 106(A)
Screening constant, approximation, D. T. Wilber —**27,** 513(A)
Ti, extreme ultra-violet, R. C. Gibbs—**27,** 799(A)

Spectra, Transformation
Relation to fluorescence, E. L. Nichols, G. L. Howes—**27,** 803(A)

Spectrograph (Vacuum)
Technique, R. J. Lang, S. Smith—**27,** 108(A)

Spectroscopy, Methods and Technique
Greater dispersion in extreme ultra-violet, R. J. Lang, S. Smith—**27,** 108(A)
Method for exciting spectra of certain metals, John K. Robertson—**27,** 511(A)
Primary standard of wave-length, effect of type of source, G. S. Monk—**27,** 107(A)
Standard wave-lengths in extreme ultra-violet, S. Smith, R. J. Lang—**27,** 512(A)

Standard Cells
Temperature coefficients and ageing corrections, H. E. Reilley, A. N. Shaw—**27,** 517(A)

Stark Effect
In H, effect of an electric field on the radiation from hydrogen atoms, K. L. Hertel—**27,** 804(A)
Method of measuring relative intensities of components, J. S. Foster, M. L. Chalk—**27,** 512(A)
Patterns in He, J. S. Foster, H. B. Hachey, W. Rowles—**27,** 512(A)

Surface Tension
H_2O by stroboscopic method, S. G. Subramanyam —**27,** 632
Na, F. E. Poindexter—**27,** 820(A)

Thermal Conductivity
Li, Na, Pb to —250°C, C. C. Bidwell—**27,** 819(A)
Metals at high temperatures, M. F. Angell—**27,** 820 (A)

Thermal Expansion
Crystals from absolute zero to melting point, W. P. Davey—**27,** 819(A),
Cu from absolute zero to melting point, T. A. Wilson, W. P. Davey—**27,** 819(A),
Silica, fused, W. Souder, P. Hidnert—**27,** 253(A)
W. P. Hidnert, W. T. Sweeney—**27,** 519(A)

Thermionic emission of electrons (See also Shot effect)
From Cs adsorbed on W and oxidized W, J. A. Becker—**27,** 112(A), 811(A)
From W in vapors of Rb, K, T. J. Killian—**27,** 578
From W, velocity distribution in vacuum and H_2, C. Del Rosario—**27,** 810(A)
Relation to transition probabilities, E. O. Lawrence **27,** 555
Thermodynamical theory, N. Rashevsky—**27,** 254 (A), 810(A)
Universal constant, P. W. Bridgman—**27,** 173
Work function and space charge, J. Slepian—**27,** 112(A)

Thermionic Emission of Positives
From new source, analysis, G. P. Harnwell, H. A. Barton—**27,** 514(A); H. A.Barton, G. P. Harnwell, C. H. Kunsman—**27,** 739
From W in Rb and K vapors, T. J. Killian—**27,** 578
From W filaments, R. L. Kenworthy—**27,** 112(A)
Mixture containing Fe, Al and Cs C. H. Kunsman —**27,** 249(A)

Thermocouples
Location of e.m.f., W. H. Rodebush—**27,** 250(A)

Thermodynamics
Of thermionic phenomena, N. Rashevsky—**27,** 254(A), 810(A)

Thermo-Electric Effect
Relation to Hall coefficient, C. W. Heaps—**27,** 252(A)
Variations due to changes in crystallinity. L. J. Newman—**27,** 643(A)

Thermomagnetic Change Point
Effect of small amounts of silicon on "A2" in mild steel, F. C. Farnham—**27,** 817(A)

Thomson Effect
In Bi, amomalies, M. O'Day—**27,** 643(A)

Transition Probabilities
In Cs vapor, F. L. Mohler, P. D. Foote, R. L. Chenault—**27,** 37
Relation to principal quantum numbers, F. C. Hoyt—**27,** 105(A)
Relation to thermionic emission and photo-electric effect, E. O. Lawrence—**27,** 555
Transmission of Sound (See Acoustics)
Transmutation of Elements
Hg to An, failure, H. H. Sheldon, R. S. Esty—**27,** 515(A)
Tuning Fork
Effect of amplitude on frequency, C: Moon, H. L. Curtis—**27,** 818(A)
Ultrasonic Beam
Application to sound reflection measurements, R. W. Boyle, J. F. Lehmann—**27,** 518(A)
Cavitation in the track, R. W. Boyle, G. B. Taylor —**27,** 518(A)
Vacuum Gauge
Application to locate beam of molecules, T. H. Johnson—**27,** 519(A)
Vacuum Tube
Application to produce short electromganetic waves A. Marcus—**27,** 250(A)
Application to electrical measurements, S. L. Brown, M. Y. Colby—**27,** 250(A)
Pliotrons, shielded grid, amplification, A. W. Hull —**27,** 439
Pliotrons, shielded grid, characteristics, A. W. Hull, N. H. Williams—**27,** 113(A), 432
Valence
Magnetic theory, E. H. Williams—**27,** 114(A)
Vapor Pressures
K and Rb—T. J. Killian—**27,** 578
Solid potassium amalgams, F. E. Poindexter—**26,** 253(A)
Solid sodium amalgams, F. E. Poindexter—**27,** 115(A)
Viscosity
Of air, relation to humidity, J. C. Stearns—**27,** 116(A)
Visibility
Interference by multiple reflections, L. Gilchrist —**27,** 596
Voltage multiplier
Electrostatic theory, A. W. Simon—**27,** 341
Voltameter
Sodium, R. C. Burt—**27,** 813(A)
Wave Filters
Acoustic, in solids, H. F. Olson—**27,** 116(A)
Wave-length Standards
Effect of type of source, G. S. Monk—**27,** 107(A)
Wireless (See also Vacuum tube)
Measurements and instruments
Amplification with shielded-grid pliotrons, A. W. Hull—**27,** 113(A), 439
Applications of vacuum tube multimeter, S. L. Brown, M. Y. Colby—**27,** 250(A)
Piezo-electric quartx oscellators, E. O. Hulburt— **27,** 814(A)
Resistance of coils, R. R. Ramsey—**27,** 250(A), 251 (A)
Resistance of condensers, C. D. Callis—**27,** 113(A); R. R. Ramsey—**27,** 114(A)
Resistance of condensers, variation with dial setting, A. E. Maibauer, T. S. Taylor—**27,** 251(A)
Standards of frequency, C. B. Jolliffe, G. Hazen— **27,** 815(A)
Wave form, self capacity in coils, A. Astin—**27,** 815(A)
Wave-meter, W. W. Salisbury—**27,** 251(A); H. L. Dodge—**27,** 252(A)
Reception
Currents from loop antenna, theory, R. C. Colwell —**27,** 816(A)
Transmission
Fading, cooperative study, J. H. Dellinger, C. B. Jolliffe, T. Parkinson—**27,** 816(A)
Over the earth, mechanism, A. H. Taylor, E. O. Hulburt—**27,** 189
Work function (See also Thermionic emission)
For Cs^+ from mixture containing Fe, Al, Cs, C. H. Kunsman—**27,** 249(A)
Relation to space charge, J. Slepian—**27,** 112(A)
X-rays
Absorption
Effect of chemical combination, W. B. Morehouse— **27,** 794(A)
In Ag, effect of temperature, H. S. Read—**27,** 795(A)
In Al, Cu, Fe, Ni, Ag, Pb, effect of temperature, H. S. Read—**27,** 373
In C, paraffin, 16 metals, $\lambda 56$—.08A, S. J. M. Allen —**27,** 266
Diffraction
By grating, R. L. Doan, A. H. Compton—**27,** 104(A)
By liquids, E. H. Collins—**27,** 242(A)
By liquids, G. W. Stewart, R. M. Morrow, E. W. Skinner—**27,** 104(A)
General Radiation
Energy distribution, C. N. Wall—**27,** 104(A)
Theory, M. S. Vallarta—**27,** 104(A)
Polarization
Of characteristic rays, J. B. Bishop—**27,** 797(A)

X-Rays—(Con'd.)
Reflection
From atomic planes of fluorite, relative intensities, D. A. MacInnes, T. Shedlovsky—**27,** 130
From Cu, Ni, Al for soft x-rays, E. R. Laird—**27,** 510(A)
From equally spaced planes, theory, T. H. Gronwall —**27,** 277
From equally spaced planes theory, L. Gilchrist—**27,** 508(A)
From Na Cl, intensity, R. J. Havighurst—**27,** 243(A)
From Na Cl, solid and powdered, J. A. Bearden—**27,** 796(A)
Refraction and dispersion
By small particles, R. von Nardoff—**27,** 797(A)
By total reflection, R. L. Doan—**27,** 796(A)
In Al prism, B. Davis, C. M. Slack—**27,** 18
In prisms of Al, Cu, S, Ag, C, N. Davis, C. M. Slack—**27,** 796(A)
Theory, R. de L. Kronig—**27,** 797(A)
Scattering (see also Compton effect)
In C, H_2O, Na, as function of λ, P. Mertz—**27,** 795 (A)

X-ray Spectra
Absorption edges
K discontinuity, magnitude, F. K. Richtmyer—**27,** 1
K edge, Ca, five structure, G. A. Lindsay, G. D Van Dyke—**27,** 508(A)
K edge of Ag, precision study, F. K. Richtmyer, J. B. Bishop—**27,** 794(A)
L edge of W, C. B. Crofutt—**27,** 243(A), 538
Continuous
Continuity at wave-lengths twice the short-wave limit, D. L. Webster—**27,** 638
Energy distribution, C. N. Wall—**27,** 104(A)
Theory, M. S. Vallarta—**27,** 104(A)
Intensity and Visibility
Formulas, L. Gilchrist—**27,** 508(A)
Lines
$K\alpha$ doublet separation, irregularity theory, D. M. Base—**27,** 521
$K\alpha$ wave-length, by grating, R. L. Doan, A. H. Compton—**27,** 104(A)
K series for Sn to Bi, J. M. Cork, B. R. Stephenson——**27,** 103(A)
K series Sn to Hf, J. M. Cork, B. R. Stephenson—**27,** 530
K series for Ta to Bi, B. R. Stephenson, J. M. Cork—**27,** 138
K-radiation series, origin from target of x-ray tube, M. Balderston—**27,** 696

Zeeman Effect
Calculations based on inner quantum numbers, J. Kunz—**27,** 817(A)
Cu spectrum, A. G. Shenstone—**27,** 511(A)
F spectru, G. H. Carragan—**27,** 106(A)
Quantum theory for band lines, E. C. Kemble—**27,** 799(A)